

*Atlas Copco*



# One compressor, many applications

300 - 410 cfm air  
compressor range for  
versatile applications in  
harsh work conditions



# Widest range of compressors to suit multiple applications in its class

One range that fits a wide range of applications in the harshest of work environments! Whether for mining applications or general construction these compressors are truly versatile in performance for various applications.

Our compressors are specially designed for applications such as:



## Features

- ▶ Highly efficient screw element
- ▶ New simple oil separator tank (vessel cover)
- ▶ Ashok Leyland water-cooled diesel engine
- ▶ Smaller footprint

## Benefits

- ▶ Less fuel consumption and long lifetime
- ▶ Less time to change oil separator element
- ▶ Excellent service support by Ashok Leyland
- ▶ Easy to transport and easy to maneuver at worksite


## Technical data

	Units	XAS 300-100	XAS 370-125	XAS 400-100
Actual free air delivery*	cfm	300	370	410
Normal effective working pressure	bar / psi	7 / 102	8.6 / 125	7 / 102
Air outlet valve		1 X 1½" and 3 X ¾"	1 X 1½" and *4 X ¾"	
Ashok Leyland	Model	W04D	W04CT	W04CT
Power	HP	80	111	111
Maximum effective receiver pressure (unloaded)	bar / psi	8.5 / 123	10.1 / 146	8.5 / 123
Full load RPM	rpm	2300	2400	2400
Unload RPM	rpm	1400	1400	1400
Capacity of compressor oil system	l	19	22	22
Capacity of standard fuel tanks	l	100	100	100
L X W X H (with undercarriage)	mm	3375x1630x1990	3375x1630x1990	3375x1630x1990
Dry weight (with undercarriage)	kg	1360	1440	1440

\* According to ISO1217 ED3 1996 Annexure D  
 \*\* Non standard, and are available on request.



# Product features



**10%  
BETTER  
EFFICIENCY**



**EASY<sup>TO</sup>  
OPERATE**



**LOW  
SERVICE  
COST**



**LIGHTER**



**0 TO  
50° C**



**SERVICE  
EFFICIENCY**



**EXTENDED  
SERVICE  
INTERVALS**



**HEAVY  
DUTY  
AIR FILTER**



**HIGH  
RESELL  
VALUE**



# Product Portfolio

## Air Compressors

### Ready To Go

- 160-412 cfm
- 7-8.5 bar



### Versatility

- 436-675 cfm
- 10.5-20 bar



### Productivity Partner

- 1000-1350 cfm
- 19-35 bar



Diesel and electric options available.

## Light Towers

### LED



### Metal Halide



### Electric



## Generators

### Portable Mobile Industrial



## Dewatering Pumps

### Diesel Driven Canopy

- 833-9833 l/min



### Electric Submersible



### Diesel Driven Open Frame



Diesel and electric options available.

## Handheld Tools

### Pneumatic tools

- Breakers (2.5 – 40 kg)
- Rockdrills (5 – 25 kg)
- Underground Rockdrills
- Additional Air Tools



### Hydraulic tools

- Breakers (11 – 40 kg)
- Additional Hydraulic Tools
- Powerpacks



### Petrol engine driven tools

- Breakers & Tampers (25 kg)
- Rockdrills (23 Kg)



Photos and illustrations contained herein might depict products with optional and/or extra components which are not included with the standard version of the product and, therefore, are not included in a purchase of such product unless the customer specifically purchases such optional/extra components. We reserve the right to change the specifications and design of products described in this literature without notice. Not all products are available in all markets.

### Contact:

S Kumar: +91 99406 86506, [s.kumar@atlascopco.com](mailto:s.kumar@atlascopco.com)  
Prakash Khobragade: +91 93314 11141, [prakash.khobragade@atlascopco.com](mailto:prakash.khobragade@atlascopco.com)  
Jasveen Singh: +91 93129 67925, [jasveen.singh@atlascopco.com](mailto:jasveen.singh@atlascopco.com)

**Atlas Copco**

**Atlas Copco India Ltd.**

Reach us: [cr.india@atlascopco.com](mailto:cr.india@atlascopco.com)  
Toll free number: 1800 120 110030  
[atlascopco.com/en-in](http://atlascopco.com/en-in)